


fax_t38_h323_ogw.pcapng



Frame 1 |
2017-04-24T21:15:39.789738Z

Frame 2 |
2017-04-24T21:15:41.788032Z

Frame 3 |
2017-04-24T21:15:41.788615Z

💡 H.225 Setup – initiates an H.323 call; carries called/calling numbers, bearer capability, and H.245 address for media negotiation

💡 Call Proceeding – gateway accepted the Setup and is routing the call; H.245 address may be included for early media negotiation

Frame 8 |
2017-04-24T21:15:41.808457Z

Frame 9 |
2017-04-24T21:15:41.809306Z

💡 Facility – mid-call supplementary service (hold, transfer, conference); also used for H.245 tunneling and call diversion

💡 Facility – mid-call supplementary service (hold, transfer, conference); also used for H.245 tunneling and call diversion

💡 Facility – mid-call supplementary service (hold, transfer, conference); also used for H.245 tunneling and call diversion

💡 Facility – mid-call supplementary service (hold, transfer, conference); also used for H.245 tunneling and call diversion

💡 Facility – mid-call supplementary service (hold, transfer, conference); also used for H.245 tunneling and call diversion

💡 Facility – mid-call supplementary service (hold, transfer, conference); also used for H.245 tunneling and call diversion

💡 Facility – mid-call supplementary service (hold, transfer, conference); also used for H.245 tunneling and call diversion

💡 Facility – mid-call supplementary service (hold, transfer, conference); also used for H.245 tunneling and call diversion

Frame 22 |
2017-04-24T21:15:41.836733Z

💡 RTCP Receiver Report – reports packet loss fraction and jitter for each source; high jitter or loss indicates network congestion affecting voice quality

💡 RTCP Receiver Report – reports packet loss fraction and jitter for each source; high jitter or loss indicates network congestion affecting voice quality

💡 Connect – call answered; media channel is now established; both sides exchange RTP audio/video on negotiated ports


Frame 990 |
2017-04-24T21:16:01.041248Z

Frame 999 |
2017-04-24T21:16:01.181232Z

💡 RTCP Sender Report – media sender reports packet/byte counts and NTP timestamp for lip-sync; receivers use this to calculate jitter

Fax OGW

Fax TGW



and loss

💡 RTCP Sender Report – media sender reports packet/byte counts and NTP timestamp for lip-sync; receivers use this to calculate jitter and loss

💡 Facility – mid-call supplementary service (hold, transfer, conference); also used for H.245 tunneling and call diversion

💡 Facility – mid-call supplementary service (hold, transfer, conference); also used for H.245 tunneling and call diversion

💡 Facility – mid-call supplementary service (hold, transfer, conference); also used for H.245 tunneling and call diversion

💡 Facility – mid-call supplementary service (hold, transfer, conference); also used for H.245 tunneling and call diversion

💡 Facility – mid-call supplementary service (hold, transfer, conference); also used for H.245 tunneling and call diversion

💡 Facility – mid-call supplementary service (hold, transfer, conference); also used for H.245 tunneling and call diversion

💡 Facility – mid-call supplementary service (hold, transfer, conference); also used for H.245 tunneling and call diversion

💡 Facility – mid-call supplementary service (hold, transfer, conference); also used for H.245 tunneling and call diversion

💡 Facility – mid-call supplementary service (hold, transfer, conference); also used for H.245 tunneling and call diversion

💡 Facility – mid-call supplementary service (hold, transfer, conference); also used for H.245 tunneling and call diversion

💡 Facility – mid-call supplementary service (hold, transfer, conference); also used for H.245 tunneling and call diversion

💡 Facility – mid-call supplementary service (hold, transfer, conference); also used for H.245 tunneling and call diversion

💡 Facility – mid-call supplementary service (hold, transfer, conference); also used for H.245 tunneling and call diversion

💡 Facility – mid-call supplementary service (hold, transfer, conference); also used for H.245 tunneling and call diversion


💡 Facility – mid-call supplementary service (hold, transfer, conference); also used for H.245 tunneling and call diversion

💡 Facility – mid-call supplementary service (hold, transfer, conference); also used for H.245 tunneling and call diversion


💡 Facility – mid-call supplementary service (hold, transfer, conference); also used for H.245 tunneling and call diversion


💡 Facility – mid-call supplementary service (hold, transfer, conference); also used for H.245 tunneling and call diversion


💡 Facility – mid-call supplementary service (hold, transfer, conference); also used for H.245 tunneling and call diversion


 Fax OGW

 Fax TGW



 Facility – mid-call supplementary service (hold, transfer, conference); also used for H.245 tunneling and call diversion

 Release Complete – call terminated; Cause value explains why (16=Normal clearing, 17=User busy, 34=No circuit available)

 Release Complete – call terminated; Cause value explains why (16=Normal clearing, 17=User busy, 34=No circuit available)