


Edge-B (MEP + Link OAM peer)

Slow Protocols

Edge-C (Link OAM / E-LMI Network)

oampdu\_init.pcapng



Edge-B (MEP + Link OAM peer)

Slow Protocols

Edge-C (Link OAM / E-LMI Network)

|                   |                                     |
|-------------------|-------------------------------------|
| Flags             | 0x0050, Local Stable, Remote Stable |
| OAM Configuration | 0x08, Link Events support           |
| Max OAMPDU Size   | 1500 bytes                          |
| OAM Configuration | 0x09, OAM Mode, Link Events support |
| Max OAMPDU Size   | 1500 bytes                          |

**i** OAM Information

|                   |                                     |
|-------------------|-------------------------------------|
| Flags             | 0x0050, Local Stable, Remote Stable |
| OAM Configuration | 0x09, OAM Mode, Link Events support |
| Max OAMPDU Size   | 1500 bytes                          |
| OAM Configuration | 0x08, Link Events support           |
| Max OAMPDU Size   | 1500 bytes                          |

Frame 11 |  
2020-08-09T20:09:49.586586Z

**i** OAM Information

|                   |                                     |
|-------------------|-------------------------------------|
| Flags             | 0x0050, Local Stable, Remote Stable |
| OAM Configuration | 0x08, Link Events support           |
| Max OAMPDU Size   | 1500 bytes                          |
| OAM Configuration | 0x09, OAM Mode, Link Events support |
| Max OAMPDU Size   | 1500 bytes                          |

Frame 12 |  
2020-08-09T20:09:50.380051Z

**i** OAM Information

|                   |                                     |
|-------------------|-------------------------------------|
| Flags             | 0x0050, Local Stable, Remote Stable |
| OAM Configuration | 0x09, OAM Mode, Link Events support |
| Max OAMPDU Size   | 1500 bytes                          |
| OAM Configuration | 0x08, Link Events support           |
| Max OAMPDU Size   | 1500 bytes                          |

Frame 13 |  
2020-08-09T20:09:50.586912Z

**i** OAM Information

|                   |                                     |
|-------------------|-------------------------------------|
| Flags             | 0x0050, Local Stable, Remote Stable |
| OAM Configuration | 0x08, Link Events support           |
| Max OAMPDU Size   | 1500 bytes                          |
| OAM Configuration | 0x09, OAM Mode, Link Events support |
| Max OAMPDU Size   | 1500 bytes                          |

Frame 14 |  
2020-08-09T20:09:51.380314Z

**i** OAM Information

|                   |                                     |
|-------------------|-------------------------------------|
| Flags             | 0x0050, Local Stable, Remote Stable |
| OAM Configuration | 0x09, OAM Mode, Link Events support |
| Max OAMPDU Size   | 1500 bytes                          |
| OAM Configuration | 0x08, Link Events support           |
| Max OAMPDU Size   | 1500 bytes                          |

Frame 15 |  
2020-08-09T20:09:51.587321Z

**i** OAM Information

|                   |                                     |
|-------------------|-------------------------------------|
| Flags             | 0x0050, Local Stable, Remote Stable |
| OAM Configuration | 0x08, Link Events support           |
| Max OAMPDU Size   | 1500 bytes                          |
| OAM Configuration | 0x09, OAM Mode, Link Events support |
| Max OAMPDU Size   | 1500 bytes                          |

Frame 16 |  
2020-08-09T20:09:52.380477Z

**i** OAM Information

|                   |                                     |
|-------------------|-------------------------------------|
| Flags             | 0x0050, Local Stable, Remote Stable |
| OAM Configuration | 0x09, OAM Mode, Link Events support |
| Max OAMPDU Size   | 1500 bytes                          |
| OAM Configuration | 0x08, Link Events support           |
| Max OAMPDU Size   | 1500 bytes                          |

Frame 17 |  
2020-08-09T20:09:52.58736Z

**o** OAM Organization Specific

|       |   |
|-------|---|
| Flags | 0x0052, Dying Gasp, Local Stable, Remote Stable |
|-------|---|

Frame 18 |  
2020-08-09T20:09:52.810122Z

**i** OAM Information

|                   |                                     |
|-------------------|-------------------------------------|
| Flags             | 0x0008, Local Evaluating            |
| OAM Configuration | 0x09, OAM Mode, Link Events support |
| Max OAMPDU Size   | 1500 bytes                          |

Frame 19 |  
2020-08-09T20:10:05.822319Z

**i** OAM Information

|                   |                                     |
|-------------------|-------------------------------------|
| Flags             | 0x0008, Local Evaluating            |
| OAM Configuration | 0x09, OAM Mode, Link Events support |
| Max OAMPDU Size   | 1500 bytes                          |

Frame 20 |  
2020-08-09T20:10:06.822277Z

Edge-B (MEP + Link OAM peer)

Slow Protocols

Edge-C (Link OAM / E-LMI Network)

