

Edge-B (MEP + Link OAM peer)

Slow Protocols

Edge-C (Link OAM / E-LMI Network)

Edge-A (MEP, Customer)

CFM L7 Multicast

oampdu_remote_loopback.pcapng

[OAM Information](#)

Flags	0x0050, Local Stable, Remote Stable
OAM Configuration	0x0c, Loopback support, Link Events support
Max OAMPDU Size	1500 bytes
OAM Configuration	0x09, OAM Mode, Link Events support
Max OAMPDU Size	1500 bytes

Frame 1 | 2020-08-09T20:13:00.649267Z

[OAM Information](#)

Flags	0x0050, Local Stable, Remote Stable
OAM Configuration	0x09, OAM Mode, Link Events support
Max OAMPDU Size	1500 bytes
OAM Configuration	0x0c, Loopback support, Link Events support
Max OAMPDU Size	1500 bytes

Frame 2 | 2020-08-09T20:13:00.979797Z

[OAM Information](#)

Flags	0x0050, Local Stable, Remote Stable
OAM Configuration	0x0c, Loopback support, Link Events support
Max OAMPDU Size	1500 bytes
OAM Configuration	0x09, OAM Mode, Link Events support
Max OAMPDU Size	1500 bytes

Frame 3 | 2020-08-09T20:13:06.651678Z

[OAM Information](#)

Flags	0x0050, Local Stable, Remote Stable
OAM Configuration	0x09, OAM Mode, Link Events support
Max OAMPDU Size	1500 bytes
OAM Configuration	0x0c, Loopback support, Link Events support
Max OAMPDU Size	1500 bytes

Frame 4 | 2020-08-09T20:13:06.985067Z

[OAM Loopback Control](#)

Flags	0x0050, Local Stable, Remote Stable
-------	-------------------------------------

Frame 5 | 2020-08-09T20:13:07.379851Z

[OAM Information](#)

Flags	0x0050, Local Stable, Remote Stable
OAM Configuration	0x0c, Loopback support, Link Events support
Max OAMPDU Size	1500 bytes
OAM Configuration	0x09, OAM Mode, Link Events support
Max OAMPDU Size	1500 bytes

Frame 6 | 2020-08-09T20:13:10.652859Z

[OAM Information](#)

Flags	0x0050, Local Stable, Remote Stable
OAM Configuration	0x09, OAM Mode, Link Events support
Max OAMPDU Size	1500 bytes
OAM Configuration	0x0c, Loopback support, Link Events support
Max OAMPDU Size	1500 bytes

Frame 7 | 2020-08-09T20:13:10.987192Z

[OAM Information](#)

Flags	0x0050, Local Stable, Remote Stable
-------	-------------------------------------

Frame 8 | 2020-08-09T20:13:11.653345Z

Edge-B (MEP + Link OAM peer)

Slow Protocols

Edge-C (Link OAM / E-LMI Network)

Edge-A (MEP, Customer)

CFM L7 Multicast

OAM Configuration	0x0c, Loopback support, Link Events support
Max OAMPDU Size	1500 bytes
OAM Configuration	0x09, OAM Mode, Link Events support
Max OAMPDU Size	1500 bytes

OAM Information

Flags	0x0050, Local Stable, Remote Stable
OAM Configuration	0x09, OAM Mode, Link Events support
Max OAMPDU Size	1500 bytes
OAM Configuration	0x0c, Loopback support, Link Events support
Max OAMPDU Size	1500 bytes

Frame 9 | 2020-08-09T20:13:11.986621Z

CFM CCM

MD Level	7
Sequence Number	2353
MEP ID	103
MD Name (String)	CUSTOMER
Short MA Name ID	100

Frame 10 | 2020-08-09T20:13:11.995244Z

CFM CCM

MD Level	7
Sequence Number	2353
MEP ID	103
MD Name (String)	CUSTOMER
Short MA Name ID	100

Frame 11 | 2020-08-09T20:13:11.995502Z

OAM Information

Flags	0x0050, Local Stable, Remote Stable
OAM Configuration	0x0c, Loopback support, Link Events support
Max OAMPDU Size	1500 bytes
OAM Configuration	0x09, OAM Mode, Link Events support
Max OAMPDU Size	1500 bytes

Frame 12 | 2020-08-09T20:13:19.66001Z

OAM Information

Flags	0x0050, Local Stable, Remote Stable
OAM Configuration	0x09, OAM Mode, Link Events support
Max OAMPDU Size	1500 bytes
OAM Configuration	0x0c, Loopback support, Link Events support
Max OAMPDU Size	1500 bytes

Frame 13 | 2020-08-09T20:13:19.993843Z

OAM Information

Flags	0x0050, Local Stable, Remote Stable
OAM Configuration	0x0c, Loopback support, Link Events support
Max OAMPDU Size	1500 bytes
OAM Configuration	0x09, OAM Mode, Link Events support
Max OAMPDU Size	1500 bytes

Frame 14 | 2020-08-09T20:13:20.660393Z

OAM Information

Flags	0x0050, Local Stable, Remote Stable
OAM Configuration	0x09, OAM Mode, Link Events support
Max OAMPDU Size	1500 bytes
OAM Configuration	0x0c, Loopback support, Link Events support

Frame 15 | 2020-08-09T20:13:20.994211Z

Edge-B (MEP + Link OAM peer)

Slow Protocols

Edge-C (Link OAM / E-LMI Network)

Edge-A (MEP, Customer)

CFM L7 Multicast

Max OAMPDU Size 1500 bytes

OAM Loopback Control

Flags 0x0050, Local Stable, Remote Stable

OAM Information

Flags	0x0050, Local Stable, Remote Stable
OAM Configuration	0x0c, Loopback support, Link Events support
Max OAMPDU Size	1500 bytes
OAM Configuration	0x09, OAM Mode, Link Events support
Max OAMPDU Size	1500 bytes

OAM Information

Flags	0x0050, Local Stable, Remote Stable
OAM Configuration	0x0c, Loopback support, Link Events support
Max OAMPDU Size	1500 bytes
OAM Configuration	0x09, OAM Mode, Link Events support
Max OAMPDU Size	1500 bytes

OAM Information

Flags	0x0050, Local Stable, Remote Stable
OAM Configuration	0x09, OAM Mode, Link Events support
Max OAMPDU Size	1500 bytes
OAM Configuration	0x0c, Loopback support, Link Events support
Max OAMPDU Size	1500 bytes

OAM Information

Flags	0x0050, Local Stable, Remote Stable
OAM Configuration	0x0c, Loopback support, Link Events support
Max OAMPDU Size	1500 bytes
OAM Configuration	0x09, OAM Mode, Link Events support
Max OAMPDU Size	1500 bytes

OAM Information

Flags	0x0050, Local Stable, Remote Stable
OAM Configuration	0x09, OAM Mode, Link Events support
Max OAMPDU Size	1500 bytes
OAM Configuration	0x0c, Loopback support, Link Events support
Max OAMPDU Size	1500 bytes

OAM Information

Flags	0x0050, Local Stable, Remote Stable
OAM Configuration	0x0c, Loopback support, Link Events support
Max OAMPDU Size	1500 bytes
OAM Configuration	0x09, OAM Mode, Link Events support
Max OAMPDU Size	1500 bytes

OAM Information

Flags	0x0050, Local Stable, Remote Stable
OAM Configuration	0x09, OAM Mode, Link Events support

Frame 16 | 2020-08-09T20:13:21.026109Z

Frame 17 | 2020-08-09T20:13:21.027007Z

Frame 18 | 2020-08-09T20:13:21.660097Z

Frame 19 | 2020-08-09T20:13:21.99448Z

Frame 20 | 2020-08-09T20:13:22.660646Z

Frame 21 | 2020-08-09T20:13:22.993918Z

Frame 22 | 2020-08-09T20:13:23.661572Z

Frame 23 | 2020-08-09T20:13:23.99368Z

Edge-B (MEP + Link OAM peer)

Slow Protocols

Edge-C (Link OAM / E-LMI Network)

Edge-A (MEP, Customer)

CFM L7 Multicast

Max OAMPDU Size	1500 bytes
OAM Configuration	0x0c, Loopback support, Link Events support
Max OAMPDU Size	1500 bytes

OAM Information

Flags	0x0050, Local Stable, Remote Stable
OAM Configuration	0x0c, Loopback support, Link Events support
Max OAMPDU Size	1500 bytes
OAM Configuration	0x09, OAM Mode, Link Events support
Max OAMPDU Size	1500 bytes

Frame 24 |
2020-08-09T20:13:24.661108Z