



💡 CoAP GET – lightweight REST read for IoT sensors; CON (Confirmable) requires ACK, NON (Non-confirmable) is fire-and-forget for periodic telemetry

💡 CoAP 2.xx – success responses: 2.01 Created, 2.02 Deleted, 2.04 Changed, 2.05 Content (data returned); piggybacked in ACK for CON requests

💡 CoAP POST – create resource or trigger action on IoT device; payload typically JSON or CBOR encoded sensor data or commands

💡 CoAP 2.xx – success responses: 2.01 Created, 2.02 Deleted, 2.04 Changed, 2.05 Content (data returned); piggybacked in ACK for CON requests

💡 CoAP GET – lightweight REST read for IoT sensors; CON (Confirmable) requires ACK, NON (Non-confirmable) is fire-and-forget for periodic telemetry

💡 CoAP 2.xx – success responses: 2.01 Created, 2.02 Deleted, 2.04 Changed, 2.05 Content (data returned); piggybacked in ACK for CON requests

Frame 7 | 2020-11-29T16:58:43.679922Z

💡 CoAP 2.xx – success responses: 2.01 Created, 2.02 Deleted, 2.04 Changed, 2.05 Content (data returned); piggybacked in ACK for CON requests

💡 CoAP GET – lightweight REST read for IoT sensors; CON (Confirmable) requires ACK, NON (Non-confirmable) is fire-and-forget for periodic telemetry

💡 CoAP 4.xx – client error: 4.04 Not Found, 4.05 Method Not Allowed, 4.01 Unauthorized; similar to HTTP 4xx but with smaller code space

💡 CoAP POST – create resource or trigger action on IoT device; payload typically JSON or CBOR encoded sensor data or commands

💡 CoAP 4.xx – client error: 4.04 Not Found, 4.05 Method Not Allowed, 4.01 Unauthorized; similar to HTTP 4xx but with smaller code space