



eth_qinisl.pcapng

ARP request (1)

VLAN ID	10
Sender MAC address	e4:d3:f1:8e:88:44
Sender IP address	10.0.10.1
Target IP address	10.0.10.2

Frame 1 |
2020-10-02T15:56:08.975015Z

ARP reply (2)

VLAN ID	10
Sender MAC address	00:23:5d:c9:5a:c1
Sender IP address	10.0.10.2
Target IP address	10.0.10.1

Frame 2 |
2020-10-02T15:56:08.976096Z

ICMP Echo Request

★ VLAN Priority	Best Effort (default) (0)
🚫 Drop Eligible	Ineligible
🏷️ VLAN ID	10
Identifier (BE)	5 (0x0005)
Sequence Number (BE)	1 (0x0001)

Frame 3 |
2020-10-02T15:56:10.98516Z

ICMP Echo Reply

★ VLAN Priority	Best Effort (default) (0)
🚫 Drop Eligible	Ineligible
🏷️ VLAN ID	10
Identifier (BE)	5 (0x0005)
Sequence Number (BE)	1 (0x0001)

Frame 4 |
2020-10-02T15:56:10.986379Z

ICMP Echo Request

★ VLAN Priority	Best Effort (default) (0)
🚫 Drop Eligible	Ineligible
🏷️ VLAN ID	10
Identifier (BE)	5 (0x0005)
Sequence Number (BE)	2 (0x0002)

Frame 5 |
2020-10-02T15:56:10.989952Z

ICMP Echo Reply

★ VLAN Priority	Best Effort (default) (0)
🚫 Drop Eligible	Ineligible
🏷️ VLAN ID	10
Identifier (BE)	5 (0x0005)
Sequence Number (BE)	2 (0x0002)

Frame 6 |
2020-10-02T15:56:10.990814Z

ICMP Echo Request

★ VLAN Priority	Best Effort (default) (0)
🚫 Drop Eligible	Ineligible
🏷️ VLAN ID	10
Identifier (BE)	5 (0x0005)
Sequence Number (BE)	3 (0x0003)

Frame 7 |
2020-10-02T15:56:10.994449Z

ICMP Echo Reply

★ VLAN Priority	Best Effort (default) (0)
🚫 Drop Eligible	Ineligible
🏷️ VLAN ID	10
Identifier (BE)	5 (0x0005)
Sequence Number (BE)	3 (0x0003)

Frame 8 |
2020-10-02T15:56:10.994964Z



