R1 | Broadcast | R2

appletalk_phase1_init.pcapng

AARP probe — Frame 1 | 2020-08-08T13:24:42.609027Z

Sender MAC address	c2:01:50:d1:00:00
Sender ID	0.1
Target ID	0.1

AARP probe — Frame 2 | 2020-08-08T13:24:42.641854Z

Sender MAC address	c2:02:50:e0:00:00
Sender ID	0.2
Target ID	0.2

AARP probe — Frame 3 | 2020-08-08T13:24:42.819671Z

Sender MAC address	c2:01:50:d1:00:00
Sender ID	0.1
Target ID	0.1

AARP probe — Frame 4 | 2020-08-08T13:24:42.821438Z

Sender MAC address	c2:02:50:e0:00:00
Sender ID	0.2
Target ID	0.2

RTMP Request — Frame 5 | 2020-08-08T13:24:43.021041Z

Destination Node	255
Source Node	1
Protocol type	AppleTalk Routing Table request (5)

AARP probe — Frame 6 | 2020-08-08T13:24:43.022092Z

Sender MAC address	c2:02:50:e0:00:00
Sender ID	0.2
Target ID	0.2

RTMP Request — Frame 7 | 2020-08-08T13:24:43.852486Z

Destination Node	255
Source Node	2
Protocol type	AppleTalk Routing Table request (5)

RTMP Request — Frame 8 | 2020-08-08T13:24:53.010407Z

Destination Node	255
Source Node	1
Protocol type	AppleTalk Routing Table request (5)

RTMP Request — Frame 9 | 2020-08-08T13:24:53.834119Z

Destination Node	255
Source Node	2
Protocol type	AppleTalk Routing Table request (5)

RTMP Request — Frame 10 | 2020-08-08T13:25:03.031383Z

Destination Node	255
Source Node	1
Protocol type	AppleTalk Routing Table request (5)

RTMP Request — Frame 11 | 2020-08-08T13:25:03.833389Z

Destination Node	255
Source Node	2
Protocol type	AppleTalk Routing Table request (5)

RTMP Request — Frame 12 | 2020-08-08T13:25:13.006595Z

Destination Node	255
Source Node	1
Protocol type	AppleTalk Routing Table request (5)

RTMP Request — Frame 13 | 2020-08-08T13:25:13.820435Z

Destination Node	255
Source Node	2
Protocol type	AppleTalk Routing Table request (5)