🏢 R1 (PE) | 🖥️ LSPV Loopback | 🖥️ R2

📁 **lspv_rsvpte_basic_rfc4379.pcapng**

🏷️ MPLS Label 5000 → (R1 → LSPV Loopback)

Frame 1 | 2021-07-10T11:08:24.541403Z

🔧 EXP	0
📦 Bottom	1
⏳ MPLS TTL	255

✅ MPLS Echo Reply ← (R2 → R1)

Frame 2 | 2021-07-10T11:08:24.597593Z

Reply Mode	Reply via an IPv4/IPv6 UDP packet (2)
📋 Return Code	Replying router is an egress for the FEC at stack depth RSC (3)
Return Subcode	1
🔢 Sequence Number	1

🏷️ MPLS Label 5000 → (R1 → LSPV Loopback)

Frame 3 | 2021-07-10T11:08:24.61657Z

🔧 EXP	0
📦 Bottom	1
⏳ MPLS TTL	255

✅ MPLS Echo Reply ← (R2 → R1)

Frame 4 | 2021-07-10T11:08:24.730822Z

Reply Mode	Reply via an IPv4/IPv6 UDP packet (2)
📋 Return Code	Replying router is an egress for the FEC at stack depth RSC (3)
Return Subcode	1
🔢 Sequence Number	2

🏷️ MPLS Label 5000 → (R1 → LSPV Loopback)

Frame 5 | 2021-07-10T11:08:24.751794Z

🔧 EXP	0
📦 Bottom	1
⏳ MPLS TTL	255

✅ MPLS Echo Reply ← (R2 → R1)

Frame 6 | 2021-07-10T11:08:24.853793Z

Reply Mode	Reply via an IPv4/IPv6 UDP packet (2)
📋 Return Code	Replying router is an egress for the FEC at stack depth RSC (3)
Return Subcode	1
🔢 Sequence Number	3

🏷️ MPLS Label 5000 → (R1 → LSPV Loopback)

Frame 7 | 2021-07-10T11:08:24.876876Z

🔧 EXP	0
📦 Bottom	1
⏳ MPLS TTL	255

✅ MPLS Echo Reply ← (R2 → R1)

Frame 8 | 2021-07-10T11:08:24.984908Z

Reply Mode	Reply via an IPv4/IPv6 UDP packet (2)
📋 Return Code	Replying router is an egress for the FEC at stack depth RSC (3)
Return Subcode	1
🔢 Sequence Number	4

🏷️ MPLS Label 5000 → (R1 → LSPV Loopback)

Frame 9 | 2021-07-10T11:08:25.007051Z

🔧 EXP	0
📦 Bottom	1
⏳ MPLS TTL	255

✅ MPLS Echo Reply ← (R2 → R1)

Frame 10 | 2021-07-10T11:08:25.111799Z

Reply Mode	Reply via an IPv4/IPv6 UDP packet (2)
📋 Return Code	Replying router is an egress for the FEC at stack depth RSC (3)
Return Subcode	1
🔢 Sequence Number	5